

Job name . . . . . : QTCPIP      User . . . . . : QTCP      Number . . . . . . . . . : 013979  
 Job description . . . . . : QTOCTCPIP      Library . . . . . : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
CPF1124	Information	00	19/01/09	21:12:20.870120	QWTPIIPP	QSYS	066E	*EXT		*N	
					Message . . . . . : Job 013979/QTCP/QTCPIP started on 19/01/09 at 21:12:15 in subsystem QSYSWRK in QSYS. Job entered system on 19/01/09 at 21:12:14.						
CPI1125	Information	00	19/01/09	21:12:20.885096	QWTPCRJA	QSYS	010F	*EXT		*N	
					Message . . . . . : Job 013979/QTCP/QTCPIP submitted.						
					Cause . . . . . : Job 013979/QTCP/QTCPIP submitted to job queue QSYSNOMAX in QSYS from job 013916/QPGMR/QSTRTCP. Job 013979/QTCP/QTCPIP was started using the Submit Job {SBMJOB} command with the following job attributes: JOBPTY{5} OUTPTY{5} PRTRXT{} RTGDTA{TCPIP} SYSLIBL{QSYS} QSYS2 QHLPSYS QUSR SYS} CURLIB{*CRTDFT} INLLIBL{} INLASPGRP{*NONE} LOG{4 00 *SECLVL} LOGCLPGM{*NO} LOGOUTPUT{*JOBEND} OUTQ{/*DEV} PRTDEV{PRT01} INQMSGRPY{*RQD} HOLD{*NO} DATE{*SYSVAL} SWS{00000000} MSGQ{QUSR SYS/QTCP} CCSID{65535} SRTSEQ{*N/*HEX} LANGID{ENU} CNTRYID{US} JOBMSGQMX{16} JOBMSGQFL{*WRAP} ALWMLTTHD{*NO} SPLFACN{*KEEP}.						
CPC1221	Information	00	19/01/09	21:13:34.916176	QTOCTCPIP	QSYS	*STMT	QTOCTCPIP	QSYS	*STMT	
					From module . . . . . : QTOCTCPIP						
					From procedure . . . . . : sendPgmMsg__9CAS400MsgCF11COS400MsgIDRC17COS400MsgSendAtrsIPCV						
					Statement . . . . . : 21						
					To module . . . . . : QTOCTCPIP						
					To procedure . . . . . : _CXX_PEP__Fv						
					Statement . . . . . : *N						
					Message . . . . . : Job 013983/QTCP/QTCPMONITR submitted to job queue QSYSNOMAX in library QSYS.						
TCP1A95	Completion	00	19/01/09	21:13:45.990928	QTOCTCPI	QSYS	10D0	QTOCTCPI	QSYS	10D0	
					Message . . . . . : Job 013979/QTCP/QTCPIP started.						
TCP1B07	Information	00	19/01/09	21:13:47.592856	QTOCTCPIP	QSYS	*STMT	QTOCTCPIP	QSYS	*STMT	
					From module . . . . . : TOCSNDMSG						
					From procedure . . . . . : TocSendMessage						
					Statement . . . . . : 1255						
					To module . . . . . : QTOCTCPIP						
					To procedure . . . . . : _CXX_PEP__Fv						
					Statement . . . . . : *N						
					Message . . . . . : User QTCP in job 013979/QTCP/QTCPIP started TCP/IP *LOOPBACK interface 127.0.0.1.						
CPC1221	Completion	00	19/01/09	21:13:48.787024	QWTCCSBJ	QSYS	01DC	QTOCTCPI	QSYS	061C	
					Message . . . . . : Job 013986/QTCP/QTOCPP submitted to job queue QSYSNOMAX in library QSYS.						
CPC1221	Completion	00	19/01/09	21:13:49.487032	QWTCCSBJ	QSYS	01DC	QTOCTCPI	QSYS	05C7	
					Message . . . . . : Job 013987/QTCP/QTCPSTSVRS submitted to job queue QSYSNOMAX in library QSYS.						
TCP8A3E	Diagnostic	00	19/01/09	21:13:49.555176	QTOCTCPI	QSYS	10D0	QTOCTCPI	QSYS	10D0	
					Message . . . . . : Interface 127.0.0.1 is active.						
					Cause . . . . . : The TCP/IP interface 127.0.0.1 is active on line *LOOPBACK. Recovery . . . . . : There is no recovery action required.						
TCP1B31	Information	00	19/01/09	21:13:49.739856	QTOCTCPI	QSYS	1AEB	QTOCTCPI	QSYS	*STMT	
					To module . . . . . : TOTCPJBSP						
					To procedure . . . . . : toQtcpipJobSPI						
					Statement . . . . . : 2770						
					Message . . . . . : Status of *LIN ETHTCP is 'VARIED ON'.						
					Cause . . . . . : The current status of communications object ETHTCP of type *LIN is 'VARIED ON' {30}.						

Job name . . . . . : QTCPIP User . . . . . : QTCP Number . . . . . . . . . : 013979  
 Job description . . . . . : QTOCTCPIP Library . . . . . : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPD2645	Diagnostic	40	19/01/09	21:13:51.012904	QDCVRL	QSYS	0693	QONACFG	QSYS	0789
					Message . . . . : Line ETHTCP already varied on.					
					Cause . . . . . : You tried to vary line ETHTCP on and it is already varied on. Recovery . . . . : Either remove the command, or change the line name by using the CFGOBJ parameter and try the command again.					
CPC2609	Completion	00	19/01/09	21:13:51.847840	QDCVRC	QSYS	08D4	QONACFG	QSYS	0789
					Message . . . . : Vary on completed for controller ETHTCNET.					
					Cause . . . . . : The vary configuration {VRYCFG} command was issued requesting that controller ETHTCNET be varied on. Technical description . . . . . : The status of controller ETHTCNET will be VARY ON PENDING until either the remote controller is successfully contacted, or until the local controller initialization is completed, or a controller failure occurs.					
CPC2605	Completion	00	19/01/09	21:13:56.317728	QDCVRD	QSYS	15DC	QONACFG	QSYS	0789
					Message . . . . : Vary on completed for device ETHTCTCP.					
					Cause . . . . . : The vary configuration {VRYCFG} command was issued requesting that device ETHTCTCP be varied on. Technical description . . . . . : The status of device ETHTCTCP may be VARY ON PENDING until it is contacted or a device failure occurs.					
TCP1B31	Information	00	19/01/09	21:13:56.321256	QTOCTCPI	QSYS	1AEB	QTOCTCPIP	QSYS	*STMT
					To module . . . . . : TOTCPJBSP1					
					To procedure . . . . . : toQtcpipJobSPI					
					Statement . . . . . : 2770					
					Message . . . . : Status of *CTL ETHTCNET is 'ACTIVE'.					
					Cause . . . . . : The current status of communications object ETHTCNET of type *CTL is 'ACTIVE' {60}.					
TCP1B31	Information	00	19/01/09	21:13:56.405912	QTOCTCPI	QSYS	1AEB	QTOCTCPIP	QSYS	*STMT
					To module . . . . . : TOTCPJBSP1					
					To procedure . . . . . : toQtcpipJobSPI					
					Statement . . . . . : 2770					
					Message . . . . : Status of *DEV ETHTCTCP is 'VARIED ON'.					
					Cause . . . . . : The current status of communications object ETHTCTCP of type *DEV is 'VARIED ON' {30}.					
TCP1B33	Information	00	19/01/09	21:13:56.493760	QTOCTCPI	QSYS	1AEB	QTOCTCPIP	QSYS	*STMT
					To module . . . . . : TOTCPJBSP1					
					To procedure . . . . . : toQtcpipJobSPI					
					Statement . . . . . : 2770					
					Message . . . . : Activation request '3DB2B54BFE60ETHTCTCP' issued.					
					Cause . . . . . : A request to asynchronously activate object ETHTCP of type *LIN was successfully submitted. The request's identification key is '3DB2B54BFE60ETHTCTCP'. The activation will be canceled if a response to the request is not received within 300 seconds					
TCP1B34	Information	00	19/01/09	21:13:56.497664	QTOCTCPI	QSYS	1AEB	QTOCTCPIP	QSYS	*STMT
					To module . . . . . : TOTCPJBSP1					
					To procedure . . . . . : toQtcpipJobSPI					
					Statement . . . . . : 2770					
					Message . . . . : Activation request '3DB2B54BFE60ETHTCTCP' complete. Code 0.					
					Cause . . . . . : A response to an activation request with identification key '3DB2B54BFE60ETHTCTCP' was received. The response matches the request for *LIN ETHTCP. {The value *N indicates that no matching request was found for this response}. Recovery . . . . : The request completion code is 0.					

Job name . . . . . : QTCPIP      User . . . . . : QTCP      Number . . . . . . . . . : 013979  
 Job description . . . . . : QTOCTCPIP      Library . . . . . : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
The completion code should be 0 for normal completion. If the completion code is not 0, try the request again. If the problem persists, report it to IBM. Technical description . . . . . : The request source/sink error summary is X'0800'.										
TCP1B03	Completion	00	19/01/09	21:14:07.386120	QTOCTCPI	QSYS	10D0	QTOCTCPI	QSYS	10D0
<p>Message . . . . : User QTCP started IP interface 192.1.1.5 on ETHTCP.</p> <p>Cause . . . . : The request from user QTCP in job 013979/QTCP/QTCPIP to start TCP/IP interface 192.1.1.5 completed successfully. Technical description . . . . . : Interface 192.1.1.5 uses line description ETHTCP, line type *ELAN.</p>										
TCP8A3E	Diagnostic	00	19/01/09	21:14:08.055160	QTOCTCPI	QSYS	10D0	QTOCTCPI	QSYS	10D0
<p>Message . . . . : Interface 192.1.1.5 is active.</p> <p>Cause . . . . : The TCP/IP interface 192.1.1.5 is active on line ETHTCP.</p> <p>Recovery . . . . : There is no recovery action required.</p>										
TCP8A2C	Completion	00	19/01/09	21:14:13.139768	QTOCI6LI	QSYS	*STMT	QTOCTCPI	QSYS	055B
<p>From module . . . . . : QTOCI6LI</p> <p>From procedure . . . . . : Send_Message_FPcN2li</p> <p>Statement . . . . . : 55</p> <p>Message . . . . : IPv6 interface started successfully.</p> <p>Cause . . . . : The request to start IPv6 interface ::1 on line *LOOPBACK completed successfully.</p>										
TCP8A3E	Diagnostic	00	19/01/09	21:14:14.199736	QTOCTCPI	QSYS	10D0	QTOCTCPI	QSYS	10D0
<p>Message . . . . : Interface ::1 is active.</p> <p>Cause . . . . : The TCP/IP interface ::1 is active on line *LOOPBACK.</p> <p>Recovery . . . . : There is no recovery action required.</p>										
CPC1207	Completion	50	20/01/09	00:04:10.156576	QWTMMTRS	QSYS	0221	*EXT		*N
<p>From user . . . . . : QSYS</p> <p>Message . . . . : Subsystem ending immediately.</p>										
TCP1B50	Information	00	20/01/09	00:05:43.919264	QTOCTCPI	QSYS	10D0	QTOCTCPI	QSYS	10D0
<p>Message . . . . : QTCPIP job is ending.</p> <p>Cause . . . . : The QTCPIP job encountered an error causing it to end, or a user specifically ended the QTCPIP job. Recovery . . . . : In order to use TCP/IP, issue the End TCP/IP {ENDTCP} CL command followed by the Start TCP/IP {STRTCP} CL command.</p>										
TCP1A1A	Information	00	20/01/09	00:06:27.151400	QTOCETCP	QSYS	087A	QTOCTCPI	QSYS	1668
<p>Message . . . . : ENDTCP started for user QTCP in job 013979/QTCP/QTCPIP.</p> <p>Cause . . . . : User QTCP issued the End TCP/IP {ENDTCP} CL command in job 013979/QTCP/QTCPIP. The processing for this command is beginning.</p>										
TCP8209	Completion	00	20/01/09	00:06:33.956640	QTOCPP	QSYS	03CF	QTOCETCP	QSYS	0356
<p>Message . . . . : ENDTCPPTP *ALL *ANY for job 013979/QTCP/QTCPIP completed. 0 of 0 sessions ended.</p> <p>Cause . . . . : Job 013979/QTCP/QTCPIP issued the command ENDTCPPTP CFGPRF{*ALL} OPRMODE{*ANY}. 0 sessions were selected to be ended. Processing for this command has completed. End processing was begun for 0 of the 0 TCP/IP point-to-point sessions. Recovery . . . . : If not all sessions were ended, display the previously listed messages in the job log. If necessary, correct any errors and then try the request again. Note: To display the previously listed messages for job 013979/QTCP/QTCPIP, use the following Display Job command: DSPJOB JOB{013979/QTCP/QTCPIP} - If the job is still active, use Display Job menu option 10 - Display job log. - If the job has ended, use the Display Job menu option 4 - Display spooled files.</p>										
TCP8A2D	Completion	00	20/01/09	00:06:44.203872	QTOCI6LI	QSYS	*STMT	QTOCTCPI	QSYS	166D

Job name . . . . . : QTCPIP User . . . . . : QTCP Number . . . . . . . . . : 013979  
 Job description . . . . . : QTOCTCPIP Library . . . . . : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
					From module . . . . . : QTOCI6LI						
					From procedure . . . . . : Send_Message_FPcN2li						
					Statement . . . . . : 55						
					Message . . . . : IPv6 interface ended successfully.						
					Cause . . . . : The request to end IPv6 interface ::1 on line *LOOPBACK completed successfully.						
TCP1B67	Information	00	20/01/09	00:06:52.165048	QTOCTCPIP	QSYS	*STMT	QTOCTCPIP	QSYS	*STMT	
					From module . . . . . : TOCSNDMSG						
					From procedure . . . . . : TocSendMessage						
					Statement . . . . . : 1255						
					To module . . . . . : QTOCTCPIP						
					To procedure . . . . . : _CXX_PEP__Fv						
					Statement . . . . . : *N						
					Message . . . . : User QTCP in job 013979/QTCP/QTCPIP ended TCP/IP *LOOPBACK interface 127.0.0.1.						
TCP1B63	Information	00	20/01/09	00:06:58.172840	QTOCTCPIP	QSYS	*STMT	QTOCTCPIP	QSYS	*STMT	
					From module . . . . . : TOCSNDMSG						
					From procedure . . . . . : TocSendMessage						
					Statement . . . . . : 1255						
					To module . . . . . : QTOCTCPIP						
					To procedure . . . . . : _CXX_PEP__Fv						
					Statement . . . . . : *N						
					Message . . . . : User QTCP ended IP interface 192.1.1.5 on ETHTCP.						
					Cause . . . . : The request from user QTCP in job 013979/QTCP/QTCPIP to end TCP/IP interface 192.1.1.5 completed successfully. Technical description . . . . . : Interface 192.1.1.5 uses line description ETHTCP, line type *ELAN.						
TCP1B35	Diagnostic	00	20/01/09	00:06:59.697160	QTOCTCPIP	QSYS	*STMT	QTOCTCPIP	QSYS	*STMT	
					From module . . . . . : TOCSNDMSG						
					From procedure . . . . . : TocSendMessage						
					Statement . . . . . : 1281						
					To module . . . . . : QTOCTCPIP						
					To procedure . . . . . : _CXX_PEP__Fv						
					Statement . . . . . : *N						
					Message . . . . : Job QTCPIP not using '**LIN ETHTCP'. Reason 0. 10383 seconds.						
					Cause . . . . : Job 013979/QTCP/QTCPIP has stopped using '**LIN ETHTCP'. The total time was 10383 seconds. Recovery . . . : The reason code is 0. Reason codes and their meanings are: 00 - Normal deactivation processing. 10 - Normal deactivation processing, however activation never completed. 30 - Activation failed to complete within allowed maximum time. Further processing terminated. 50 - Abnormal termination of job or program.						
CPF9898	Information	40	20/01/09	00:07:04.481096	QTOCETCP	QSYS 0C01	QTOCTCPI	QSYS	1497		
					Message . . . . : QSYSWRK status Sum: C000 0000 WCB: 1884 0000.						
					Cause . . . . : This message is used by application programs as a general escape message.						
TCP1B35	Diagnostic	00	20/01/09	00:07:04.584368	QTOCTCPIP	QSYS	*STMT	QTOCTCPIP	QSYS	*STMT	
					From module . . . . . : TOCSNDMSG						
					From procedure . . . . . : TocSendMessage						
					Statement . . . . . : 1281						
					To module . . . . . : QTOCTCPIP						
					To procedure . . . . . : _CXX_PEP__Fv						

Job name . . . . . : QTCPIP      User . . . . . : QTCP      Number . . . . . . . . . : 013979  
 Job description . . . . . : QTOCTCPIP      Library . . . . . : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					Statement . . . . . : *N					
					Message . . . . : Job QTCPIP not using '*LIN ETHTCP'. Reason 0. 10388					
					seconds.					
					Cause . . . . . : Job 013979/QTCP/QTCPIP has stopped using '*LIN ETHTCP'.					
					The total time was 10388 seconds. Recovery . . . . : The reason code is 0.					
					Reason codes and their meanings are: 00 - Normal deactivation processing. 10					
					- Normal deactivation processing, however activation never completed. 30 -					
					Activation failed to complete within allowed maximum time. Further					
					processing terminated. 50 - Abnormal termination of job or program.					
CPF1362	Completion	30	20/01/09	00:07:06.944312	QWTCCCNJ	QSYS	077D	QTOCUTIL	QSYS	*STMT
					To module . . . . . : TOUCMDAPI					
					To procedure . . . . . : doSystemCmdWithQCPCMD__11SysAPIBaseTFPCC					
					Statement . . . . . : 27					
					Message . . . . : Job 013983/QTCP/QTCPCMONITR has completed.					
CPF1164	Completion	00	20/01/09	00:07:17.805392	QWTMCEOJ	QSYS	00D7	*EXT		*N
					Message . . . . : Job 013979/QTCP/QTCPIP ended on 20/01/09 at 00:07:17; 3					
					seconds used; end code 50 .					
					Cause . . . . . : Job 013979/QTCP/QTCPIP completed on 20/01/09 at 00:07:17					
					after it used 3 seconds processing unit time. The job had ending code 50.					
					The job ended after 1 routing steps with a secondary ending code of 0. The					
					job ending codes and their meanings are as follows: 0 - The job completed					
					normally. 10 - The job completed normally during controlled ending or					
					controlled subsystem ending. 20 - The job exceeded end severity {ENDSEV job					
					attribute}. 30 - The job ended abnormally. 40 - The job ended before					
					becoming active. 50 - The job ended while the job was active. 60 - The					
					subsystem ended abnormally while the job was active. 70 - The system ended					
					abnormally while the job was active. 80 - The job ended {ENDJOBABN command}.					
					90 - The job was forced to end after the time limit ended {ENDJOBABN					
					command}. Recovery . . . . : For more information, see the Work Management					
					topic in the Information Center,					
					<a href="http://www.ibm.com/eserver/iseries/infocenter">http://www.ibm.com/eserver/iseries/infocenter</a> .					