

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPF1124	Information	00	19/01/09	22:36:14.991600	QWTPIIPP	QSYS	066E	*EXT		*N
					Message . . . . . :	Job 014060/QSECOFR/QPADEV0002 started on 19/01/09 at 22:36:14 in subsystem QBASE in QSYS. Job entered system on 19/01/09 at 22:36:14.				
*NONE	Request			19/01/09	22:36:20.997336	QUICMD	QSYS	0461	QUICMD	QSYS 0461
*NONE	Request			19/01/09	22:36:54.145528	QUICMD	QSYS	0461	QUICMD	QSYS 0461
*NONE	Request			19/01/09	22:37:18.228512	QUICMD	QSYS	0461	QUICMD	QSYS 0461
*NONE	Request			19/01/09	22:37:27.745464	QUICMD	QSYS	0461	QUICMD	QSYS 0461
*NONE	Request			19/01/09	22:37:48.215912	QUICMD	QSYS	0461	QUICMD	QSYS 0461
*NONE	Request			19/01/09	22:37:48.238560	QLICUSR	QSYS	0113	QMNRWKXX	QSYS 028E
CPC2196	Completion	00	19/01/09	22:37:48.238560	QLICUSR	QSYS	0113	QMNRWKXX	QSYS	028E
					Message . . . . . :	Library Q400 added to library list.				
					Cause . . . . . :	If the ADDLIBLE command was used, Q400 was added to the user library list. If the CHGSYSLIBL command was used, Q400 was added to the system portion of the library list.				
*NONE	Request			19/01/09	22:37:50.639440	QUICMD	QSYS	0461	QUICMD	QSYS 0461
CPD0030	Diagnostic	30	19/01/09	22:37:50.640936	QCARULE	QSYS	07A7	QMNRWKXX	QSYS	028E
					Message . . . . . :	Command CERSION in library *LIBL not found.				
					Cause . . . . . :	If a library was not specified, the command was not found in the libraries in the library list. If a library was specified, the command was not found there. One of the following special values may have been used to specify the library: *LIBL - The command was not found in the libraries in the library list *NLVLIBL - The command was not found in the national language version libraries in the system library list. *SYSTEM - The command was not found in library QSYS. Recovery . . . . . : Change the command name or correct the library name, and then try the command again.				
CPF0001	Diagnostic	30	19/01/09	22:37:50.641264	QCADRV2	QSYS	04D0	QMNRWKXX	QSYS	028E
					Message . . . . . :	Error found on CERSION command.				
					Cause . . . . . :	The system detected errors in the command. Recovery . . . . . : See the previously listed messages in the job log. Correct the errors and then try the command again. *N instead of a command name means that the name had not been determined before the error was found.				
*NONE	Request			19/01/09	22:37:52.011536	QUICMD	QSYS	0461	QUICMD	QSYS 0461
*NONE	Request			19/01/09	22:38:04.079472	QUICMD	QSYS	0461	QUICMD	QSYS 0461
CPF2103	Escape	40	19/01/09	22:38:04.146752	QLICUSR	QSYS	0196	Q400C15	Q400	0010
					Message . . . . . :	Library Q400 already exists in library list.				
					Cause . . . . . :	The library Q400 already exists in the library search list. The library was not added. Recovery . . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.				
*NONE	Request			19/01/09	22:38:31.870768	QPTCHECK		*N	QUICMD	QSYS 0461
					Message . . . . . :	-SAVSPLF CLEAR{*NO} DEV{*SAVF} SAVF{TEST} SFLIB{DECLAN} CRTSAVF{*YES}				
CPF2103	Escape	40	19/01/09	22:39:11.002944	QLICUSR	QSYS	0196	SAVSPLF	Q400	0012
					Message . . . . . :	Library Q400 already exists in library list.				

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
					Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.						
CPF9801	Escape	40	19/01/09	22:39:11.111464	QLICKOBJ	QSYS	01B3	SAVSPLF	Q400	00E7	
					Message . . . . . : Object TEST in library DECLAN not found.						
					Cause . . . . . : The object TEST in library DECLAN type *FILE not found. The object name, library name, or the object type is not correct. If the library name is not specified, the object may be in a library that is not contained in the library list. Recovery . . . . . : Correct the object name, library name, or object type. If the library name was not specified, specify the library name and try the request again.						
CPC7301	Completion	00	19/01/09	22:39:11.497240	QDDCDF	QSYS	024C	SAVSPLF	Q400	00FD	
					Message . . . . . : File TEST created in library DECLAN.						
*NONE	Information			19/01/09	22:39:11.528840	SAVSPLF	Q400	0104	QMNRWKXX	QSYS	
					Message . . . . . : Save file created by Q400					028E	
CPF2125	Escape	40	19/01/09	22:39:13.974376	QLIDLOBJ	QSYS	051B	Q400C10	Q400	0017	
					Message . . . . . : No objects deleted.						
					Cause . . . . . : Object P0* in QTEMP type *FILE was not deleted. The reason for this is one of the following: -- No objects were found; -- Objects were allocated by another job; -- The libraries were not found; -- The libraries were damaged. -- The library name is *ALL or *ALLUSR and the user is not authorized to the library. Recovery . . . . . : If objects were not found, use the DSPOBJD command to find the names of the objects. If objects were allocated by another job, use the WRKOBJLCK command to find the job that has allocated each object. If libraries are damaged, restore the libraries {RSTLIB command} or delete the libraries {DLTLIB command}.						
CPF2125	Escape	40	19/01/09	22:39:13.980080	QLIDLOBJ	QSYS	051B	Q400C10	Q400	001E	
					Message . . . . . : No objects deleted.						
					Cause . . . . . : Object U0* in QTEMP type *FILE was not deleted. The reason for this is one of the following: -- No objects were found; -- Objects were allocated by another job; -- The libraries were not found; -- The libraries were damaged. -- The library name is *ALL or *ALLUSR and the user is not authorized to the library. Recovery . . . . . : If objects were not found, use the DSPOBJD command to find the names of the objects. If objects were allocated by another job, use the WRKOBJLCK command to find the job that has allocated each object. If libraries are damaged, restore the libraries {RSTLIB command} or delete the libraries {DLTLIB command}.						
CPF2125	Escape	40	19/01/09	22:39:13.986064	QLIDLOBJ	QSYS	051B	Q400C10	Q400	0025	
					Message . . . . . : No objects deleted.						
					Cause . . . . . : Object INDEXL* in QTEMP type *FILE was not deleted. The reason for this is one of the following: -- No objects were found; -- Objects were allocated by another job; -- The libraries were not found; -- The libraries were damaged. -- The library name is *ALL or *ALLUSR and the user is not authorized to the library. Recovery . . . . . : If objects were not found, use the DSPOBJD command to find the names of the objects. If objects were allocated by another job, use the WRKOBJLCK command to find the job that has allocated each object. If libraries are damaged, restore the libraries {RSTLIB command} or delete the libraries {DLTLIB command}.						
CPF2105	Escape	40	19/01/09	22:39:13.988488	QLIDLOBJ	QSYS	051B	Q400C10	Q400	002C	
					Message . . . . . : Object INDEX in QTEMP type *FILE not found.						
					Cause . . . . . : No object was found for the name or type specified.						

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
					Recovery . . . . : Specify the correct name or type of the object. Then try the request again.						
CPF2125	Escape	40	19/01/09	22:39:13.995144	QLIDLOBJ	QSYS	051B	Q400C10	Q400	0033	
					Message . . . . : No objects deleted.						
					Cause . . . . . : Object U0* in QTEMP type *USRSPC was not deleted. The reason for this is one of the following: -- No objects were found; -- Objects were allocated by another job; -- The libraries were not found; -- The libraries were damaged. -- The library name is *ALL or *ALLUSR and the user is not authorized to the library. Recovery . . . . : If objects were not found, use the DSPOBJD command to find the names of the objects. If objects were allocated by another job, use the WRKOBJLCK command to find the job that has allocated each object. If libraries are damaged, restore the libraries {RSTLIB command} or delete the libraries {DLTLIB command}.						
CPI2101	Information	00	19/01/09	22:39:14.775912	QLICRDUP	QSYS	07C0	Q400C10	Q400	003A	
					Message . . . . : Object INDEX in QTEMP type *FILE created.						
CPC2130	Completion	00	19/01/09	22:39:14.777936	QLICRDUP	QSYS	027D	Q400C10	Q400	003A	
					Message . . . . : 1 objects duplicated.						
					Cause . . . . . : All the objects with supported object types specified on the Create Duplicate Object {CRTDUPOBJ} command were duplicated. See low level messages to determine if any objects were not duplicated.						
CPI2101	Information	00	19/01/09	22:39:15.605296	QLICRDUP	QSYS	07C0	Q400C10	Q400	0041	
					Message . . . . : Object INDEXL1 in QTEMP type *FILE created.						
CPC2130	Completion	00	19/01/09	22:39:15.607640	QLICRDUP	QSYS	027D	Q400C10	Q400	0041	
					Message . . . . : 1 objects duplicated.						
					Cause . . . . . : All the objects with supported object types specified on the Create Duplicate Object {CRTDUPOBJ} command were duplicated. See low level messages to determine if any objects were not duplicated.						
CPC7303	Completion	00	19/01/09	22:39:15.789456	QDBCHGFI	QSYS	*STMT	Q400C10	Q400	0048	
					From module . . . . . : QDBCHGFI						
					From procedure . . . . . : QDBCHGFI						
					Statement . . . . . : 18111						
					Message . . . . : File INDEX in library QTEMP changed.						
CPC7303	Completion	00	19/01/09	22:39:15.910392	QDBCHGFI	QSYS	*STMT	Q400C10	Q400	004F	
					From module . . . . . : QDBCHGFI						
					From procedure . . . . . : QDBCHGFI						
					Statement . . . . . : 18111						
					Message . . . . : File INDEXL1 in library QTEMP changed.						
CPI2101	Information	00	19/01/09	22:39:16.239792	QLICRDUP	QSYS	07C0	Q400C10	Q400	0058	
					Message . . . . : Object QS in QTEMP type *FILE created.						
CPC2130	Completion	00	19/01/09	22:39:16.241880	QLICRDUP	QSYS	027D	Q400C10	Q400	0058	
					Message . . . . : 1 objects duplicated.						
					Cause . . . . . : All the objects with supported object types specified on the Create Duplicate Object {CRTDUPOBJ} command were duplicated. See low level messages to determine if any objects were not duplicated.						
CPF3485	Completion	00	19/01/09	22:39:19.914744	QSPCPYF	QSYS	074E	CPYOUTQ	Q400	001F	
					Message . . . . : 13 records copied to file QS in QTEMP.						
					Cause . . . . . : 13 records were copied from spooled file QRRTSPLQ number 1 job 014060/QSECOFR/QPADEV0002 created on system S105KMRM on 19/01/09 22:39:19 to physical file QS in QTEMP member QS.						
CPF4028	Diagnostic	10	19/01/09	22:39:24.840136	QDBOPEN	QSYS	14EB	Q400U5	Q400	0B08	
					Message . . . . : Open of member INDEX was changed to SEQONLY{*NO}.						
					Cause . . . . . : Member INDEX file INDEX in library QTEMP was opened with						

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
<p>the SEQONLY{*YES} parameter specified in the program or on the Override Database File {OVRDBF} command. However, the parameter has been changed to SEQONLY{*NO} because of condition 1 shown below: 1 - The program opened member INDEX for output operations only and SEQONLY{*YES} was specified with the default number of records. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow the program to handle duplicate key, conversion mapping, key mapping, and select or omit errors, or both select and omit errors at the time of the output operation. 2 - The program opened the member for other than input or output operations only. 3 - The program opened a logical file member for output operations only and that member is based on more than one physical file member. 4 - The record length plus the feedback information for the member is greater than 32,767 bytes. 5 - The commitment control level of *ALL is active and the member was opened for input operations only, or the commitment control levels of either *ALL, *CS, or *CHG were specified for a distributed file that was opened for input operations only. 6 - The program opened member INDEX for output operations only and SEQONLY{*YES} was specified with the default number of records and duplicate key feedback or insert key feedback was requested. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow duplicate key feedback or insert key feedback to be provided on a record by record basis. 7 - The program opened a query member that contains at least one subselect. Either the outermost subselect provided a correlated reference for a subquery or the outermost subselect processed a subquery with an IN, = ANY, or &lt;&gt; ALL subquery predicate operator, which is treated as a correlated reference. Only one record can be retrieved at a time from this type of query. 8 - The file has referential constraints, triggers, or is a distributed file. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow the trigger programs to be called or the referential constraints to be enforced on a record by record basis, or because SEQONLY{*YES} is not allowed for the distributed file open. 9 - The file is a distributed file opened for DSTDAT{*CURRENT}. One or more of the nodes in this file have been implemented using join logical file processing. 10 - The file, or a physical file on which the file is based, contains File Link Control DataLink fields. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow the DataLink fields in each record to be processed. Recovery . . . : For condition 1 or condition 6: -- If changing parameter SEQONLY{*YES} to SEQONLY{*NO} is not acceptable, use the Override Database File {OVRDBF} command to override the parameter SEQONLY{*NO} by specifying SEQONLY{*YES N} where N indicates the number of records. Then try your request again.</p>										
CPC2191	Completion	00	19/01/09	22:39:27.211520	QLIDLOBJ	QSYS	051B	SAVSPLF	Q400	0449
					Message . . . :	Object Q400QUEUES in QTEMP type *USRSPC deleted.				
SAV1031	Information	00	19/01/09	22:39:27.426896	SAVSPLF	Q400	04B7	QMNRWKXX	QSYS	028E
					Message . . . :	3 spoolfiles selected				
					3 spoolfiles were selected for saving in *SAVRST format					
CPC9801	Completion	00	19/01/09	22:39:28.747968	QSPCRSPQ	QSYS	081F	Q400C23	Q400	00B5
					Message . . . :	Object U0002134 type *OUTQ created in library Q400.				
CPC9801	Completion	00	19/01/09	22:39:29.284768	QSPCRSPQ	QSYS	081F	Q400C23	Q400	00B5
					Message . . . :	Object U0002135 type *OUTQ created in library Q400.				
CPC9801	Completion	00	19/01/09	22:39:29.630688	QSPCRSPQ	QSYS	081F	Q400C23	Q400	00B5
					Message . . . :	Object U0002136 type *OUTQ created in library Q400.				
SAV1032	Information	00	19/01/09	22:39:29.745448	SAVSPLF	Q400	04D4	QMNRWKXX	QSYS	028E
					Message . . . :	3 spoolfiles prepared for saving				
					3 spoolfiles were pre-processed for saving					

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
SAV2000	Information	00	19/01/09	22:39:29.761296	SAVSPLF	Q400	062A	SAVSPLF	Q400	062A	
					Message . . . . . :	Spoolfiles prepared, save starting					
CPC2955	Completion	00	19/01/09	22:39:30.569256	QCPEXCON	QSYS	0AFF	SAVSPLF	Q400	0632	
					Message . . . . . :	3 records copied from member INDEX.					
					Cause . . . . . :	3 records were copied from member or label INDEX in file INDEX in library QTEMP. The records were copied to member or label INDEX in file INDEX in library Q400. 0 records were not copied because they did not meet the selection requirements. Deleted records were not copied because the default COMPRESS{*YES} was specified. If this is the Copy From Import File {CPYFRMIMP} command, deleted records were copied, and the number of records not copied were the result of copy errors. Technical description . . . . . :					
						If the from-file or to-file member or label name is *N, the file is a printer, nonlabeled tape, or a spooled inline file. If the from-file library name is *N, the file is a spooled inline file. Records are copied based on the following selection requirements: -- Character values {INCCHAR parameter}. -- Field values {INCREL parameter}.					
CPI3203	Information	00	19/01/09	22:39:33.361944	QDBSVPST	QSYS	0144	QDBSVPST	QSYS	0144	
					Message . . . . . :	3 logical access paths saved or restored.					
					Cause . . . . . :	A save operation was done with the ACCPTH{*YES} parameter specified, and 3 logical access paths are stored on the media with file INDEX in library Q400.					
CPC3722	Completion	00	19/01/09	22:39:33.394984	QSRSOCP2	QSYS	02F1	SAVSPLF	Q400	063A	
					Message . . . . . :	7 objects saved from library Q400.					
					Cause . . . . . :	-- 7 objects were saved. -- 3 spooled files were saved. Data was saved from library Q400 to save file TEST in DECLAN at 19/01/09 22:39:30. If UPDHST{*YES} was specified, the save/restore history information was updated for each saved object.					
CPF4028	Diagnostic	10	19/01/09	22:39:33.772104	QDBOPEN	QSYS	14EB	Q400U4	Q400	027C	
					Message . . . . . :	Open of member Q400T2P was changed to SEQONLY{*NO}.					
					Cause . . . . . :	Member Q400T2P file Q400T2P in library Q400 was opened with the SEQONLY{*YES} parameter specified in the program or on the Override Database File {OVRDBF} command. However, the parameter has been changed to SEQONLY{*NO} because of condition 1 shown below: 1 - The program opened member Q400T2P for output operations only and SEQONLY{*YES} was specified with the default number of records. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow the program to handle duplicate key, conversion mapping, key mapping, and select or omit errors, or both select and omit errors at the time of the output operation. 2 - The program opened the member for other than input or output operations only. 3 - The program opened a logical file member for output operations only and that member is based on more than one physical file member. 4 - The record length plus the feedback information for the member is greater than 32,767 bytes. 5 - The commitment control level of *ALL is active and the member was opened for input operations only, or the commitment control levels of either *ALL, *CS, or *CHG were specified for a distributed file that was opened for input operations only. 6 - The program opened member Q400T2P for output operations only and SEQONLY{*YES} was specified with the default number of records and duplicate key feedback or insert key feedback was requested. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow duplicate key feedback or insert key feedback to be provided on a record by record basis. 7 - The program opened a query member that contains at least one subselect. Either the outermost subselect provided a correlated reference for a subquery or the outermost					

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
subselect processed a subquery with an IN, = ANY, or <> ALL subquery predicate operator, which is treated as a correlated reference. Only one record can be retrieved at a time from this type of query. 8 - The file has referential constraints, triggers, or is a distributed file. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow the trigger programs to be called or the referential constraints to be enforced on a record by record basis, or because SEQONLY{*YES} is not allowed for the distributed file open. 9 - The file is a distributed file opened for DSTDAT{*CURRENT}. One or more of the nodes in this file have been implemented using join logical file processing. 10 - The file, or a physical file on which the file is based, contains File Link Control DataLink fields. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow the DataLink fields in each record to be processed. Recovery . . . : For condition 1 or condition 6: -- If changing parameter SEQONLY{*YES} to SEQONLY{*NO} is not acceptable, use the Override Database File {OVRDBF} command to override the parameter SEQONLY{*NO} by specifying SEQONLY{*YES N} where N indicates the number of records. Then try your request again.										
CPF4028	Diagnostic	10	19/01/09	22:39:33.824640	QDBOPEN	QSYS	14EB	Q400U4	Q400	027C
					Message . . . . : Open of member Q400T1P was changed to SEQONLY{*NO}.					
					Cause . . . . . : Member Q400T1P file Q400T1P in library Q400 was opened with the SEQONLY{*YES} parameter specified in the program or on the Override Database File {OVRDBF} command. However, the parameter has been changed to SEQONLY{*NO} because of condition 1 shown below: 1 - The program opened member Q400T1P for output operations only and SEQONLY{*YES} was specified with the default number of records. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow the program to handle duplicate key, conversion mapping, key mapping, and select or omit errors, or both select and omit errors at the time of the output operation. 2 - The program opened the member for other than input or output operations only. 3 - The program opened a logical file member for output operations only and that member is based on more than one physical file member. 4 - The record length plus the feedback information for the member is greater than 32,767 bytes. 5 - The commitment control level of *ALL is active and the member was opened for input operations only, or the commitment control levels of either *ALL, *CS, or *CHG were specified for a distributed file that was opened for input operations only. 6 - The program opened member Q400T1P for output operations only and SEQONLY{*YES} was specified with the default number of records and duplicate key feedback or insert key feedback was requested. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow duplicate key feedback or insert key feedback to be provided on a record by record basis. 7 - The program opened a query member that contains at least one subselect. Either the outermost subselect provided a correlated reference for a subquery or the outermost subselect processed a subquery with an IN, = ANY, or <> ALL subquery predicate operator, which is treated as a correlated reference. Only one record can be retrieved at a time from this type of query. 8 - The file has referential constraints, triggers, or is a distributed file. SEQONLY{*YES} was changed to SEQONLY{*NO} to allow the trigger programs to be called or the referential constraints to be enforced on a record by record basis, or because SEQONLY{*YES} is not allowed for the distributed file open. 9 - The file is a distributed file opened for DSTDAT{*CURRENT}. One or more of the nodes in this file have been implemented using join logical file processing. 10 - The file, or a physical file on which the file is based, contains File Link Control DataLink fields. SEQONLY{*YES} was changed to SEQONLY{*NO} to					

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
allow the DataLink fields in each record to be processed. Recovery . . . :										
For condition 1 or condition 6: -- If changing parameter SEQONLY{*YES} to SEQONLY{*NO} is not acceptable, use the Override Database File {OVRDBF} command to override the parameter SEQONLY{*NO} by specifying SEQONLY{*YES N} where N indicates the number of records. Then try your request again.										
CPC2191	Completion	00	19/01/09	22:39:34.404208	QLIDLOBJ	QSYS	051B	Q400C24	Q400	010C
					Message . . . . .	Object U0002134 in Q400 type *OUTQ deleted.				
CPC2191	Completion	00	19/01/09	22:39:34.547528	QLIDLOBJ	QSYS	051B	Q400C24	Q400	010C
					Message . . . . .	Object U0002135 in Q400 type *OUTQ deleted.				
CPC2191	Completion	00	19/01/09	22:39:34.691000	QLIDLOBJ	QSYS	051B	Q400C24	Q400	010C
					Message . . . . .	Object U0002136 in Q400 type *OUTQ deleted.				
CPF0864	Escape	10	19/01/09	22:39:34.722280	QCLDMIO	QSYS	02AE	Q400C24	Q400	001E
					Message . . . . .	End of file detected for file INDEX in Q400.				
					Cause . . . . .	End of file was detected on a Receive File {RCVF} command.  This condition can also occur if the file is closed due to a Transfer Control {TFRCTL} command that failed. Recovery . . . . .	Do the processing required to handle the end-of-file condition. Do not run additional RCVF commands within this program.			
CPC2191	Completion	00	19/01/09	22:39:34.890392	QLIDLOBJ	QSYS	051B	SAVSPLF	Q400	07C9
					Message . . . . .	Object QS in QTEMP type *FILE deleted.				
CPC2191	Completion	00	19/01/09	22:39:35.159896	QLIDLOBJ	QSYS	051B	SAVSPLF	Q400	07DB
					Message . . . . .	Object INDEXL1 in QTEMP type *FILE deleted.				
CPC2191	Completion	00	19/01/09	22:39:35.297040	QLIDLOBJ	QSYS	051B	SAVSPLF	Q400	07E2
					Message . . . . .	Object INDEX in QTEMP type *FILE deleted.				
SAV1008	Information	00	19/01/09	22:39:35.336192	SAVSPLF	Q400	084E	QMNRWKXX	QSYS	028E
					Message . . . . .	Saved 3 spoolfiles to save file TEST in library DECLAN  The number of spoolfiles indicated were save to the save file called TEST in library DECLAN				
SAV1019	Information	00	19/01/09	22:39:35.338136	SAVSPLF	Q400	0903	QMNRWKXX	QSYS	028E
					Message . . . . .	Total number of pages saved was 71.  The overall count of pages for all the spoolfiles saved was 71.				
*NONE	Request			19/01/09	22:39:43.677744	QUICMD	QSYS	0461	QUICMD	QSYS
					Message . . . . .	-wrksavops				
CPF2103	Escape	40	19/01/09	22:39:43.680504	QLICUSR	QSYS	0196	Q400C15	Q400	0010
					Message . . . . .	Library Q400 already exists in library list.				
					Cause . . . . .	The library Q400 already exists in the library search list. The library was not added. Recovery . . . . .	If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.			
MCH0802	Escape	40	19/01/09	22:39:50.021416	< allProgram		001524	*N	*N	*N
					From Program . . . . .	AiUpcallProgram				
					Message . . . . .	Total parameters passed does not match number required.				
					Cause . . . . .	Program &2 attempted to call program RSTSPLF with 20 parameters. Program RSTSPLF expects a minimum of 19 and a maximum of 19 parameters. Recovery . . . . .	Use the Display Program {DSPPGM} command to determine the correct number of parameters to pass.			
CPF9999	Escape	40	19/01/09	22:39:50.103952	QMHNUNMSG		*N	*N	*N	*N
					Message . . . . .	Function check. MCH0802 unmonitored by Q400U14 at statement 30300, instruction X'014F'.				
					Cause . . . . .	An escape exception message was sent to a program which did not monitor for that message. The full name of the program to which the unmonitored message was sent is Q400U14 . At the time the message was sent				

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
the program was stopped at higher level language statement number{s} 30300. If more than one statement number is shown, the program was a bound program. Optimization does not allow a single statement number to be determined. If *N is shown as a value, it means the actual value was not available.											
CPF3698	Information	00	19/01/09	22:39:50.295352	QSCPPUTR	QSYS	005E	QMHPADP	QSYS	04E2	
					Message . . . . : Dump output directed to spooled file 2, job 014060/QSECOFR/QPADEV0002 created on system S105KMRM on 19/01/09 22:39:50.						
RPG0202	Sender copy	99	19/01/09	22:39:52.069016	QRGXMSG	QSYS	00BE	QRGXMSG	QSYS	00BE	
					Cause . . . . : Dump output is being directed to a spooled file.						
					Message . . . . : The call to program RSTSPLF ended in error {C G S D F}.						
					Cause . . . . : The RPG program Q400U14 in library Q400 at statement 30300 called program RSTSPLF, which ended in error or was not found. Recovery . . . . : Enter C to cancel, G to continue processing at *GETIN, S to obtain a system dump, or D to obtain an RPG formatted dump. Possible choices for replying to message . . . . . : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump.						
RPG0202	Inquiry	99	19/01/09	22:39:52.069272	QRGXMSG	QSYS	00BE	*EXT		*N	
					Message . . . . : The call to program RSTSPLF ended in error {C G S D F}.						
					Cause . . . . : The RPG program Q400U14 in library Q400 at statement 30300 called program RSTSPLF, which ended in error or was not found. Recovery . . . . : Enter C to cancel, G to continue processing at *GETIN, S to obtain a system dump, or D to obtain an RPG formatted dump. Possible choices for replying to message . . . . . : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump.						
*NONE	Reply			19/01/09	22:39:59.673616	QMHDSEXT	QSYS	016E	*EXT	*N	
*NONE	Reply				Message . . . . : C						
				19/01/09	22:39:59.673760	QMHDSEXT	QSYS	016E	QRGXMSG	QSYS	
					Message . . . . : C						
RPG9001	Escape	50	19/01/09	22:39:59.722376	QRGXSIGE	QSYS	001B	Q400E6	Q400	0254	
					Message . . . . : Error RPG0202 caused program Q400U14 to stop.						
					Cause . . . . : If message RPG0202 is greater than RPG0099 {between RPG0100 - RPG9999}, then program Q400U14 ended in error. Otherwise a programmer-defined error subroutine canceled the program. See previously listed messages for more information. Recovery . . . . : Correct the error indicated by the message or contact the application coordinator.						
RPG0202	Sender copy	99	19/01/09	22:39:59.782104	QRGXMSG	QSYS	00BE	QRGXMSG	QSYS	00BE	
					Message . . . . : The call to program Q400U14 ended in error {C G S D F}.						
					Cause . . . . : The RPG program Q400E6 in library Q400 at statement 60400 called program Q400U14, which ended in error or was not found. Recovery . . . . : Enter C to cancel, G to continue processing at *GETIN, S to obtain a system dump, or D to obtain an RPG formatted dump. Possible choices for replying to message . . . . . : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump.						
RPG0202	Inquiry	99	19/01/09	22:39:59.782344	QRGXMSG	QSYS	00BE	*EXT		*N	
					Message . . . . : The call to program Q400U14 ended in error {C G S D F}.						
					Cause . . . . : The RPG program Q400E6 in library Q400 at statement 60400						

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
<p>called program Q400U14, which ended in error or was not found. Recovery . . . : Enter C to cancel, G to continue processing at *GETIN, S to obtain a system dump, or D to obtain an RPG formatted dump. Possible choices for replying to message . . . . . : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump.</p>										
*NONE	Reply		19/01/09	22:40:01.796928	QMHDSEXT	QSYS	016E	*EXT		*N
		Message . . . . . :	C							
*NONE	Reply		19/01/09	22:40:01.797072	QMHDSEXT	QSYS	016E	QRGXMSG	QSYS	00BE
		Message . . . . . :	C							
RPG9001	Escape	50	19/01/09	22:40:01.804864	QRGXSIGE	QSYS	001B	Q400C15	Q400	001F
		Message . . . . . :	Error RPG0202 caused program Q400E6 to stop.							
		Cause . . . . . :	If message RPG0202 is greater than RPG0099 {between RPG0100 - RPG9999}, then program Q400E6 ended in error. Otherwise a programmer-defined error subroutine canceled the program. See previously listed messages for more information. Recovery . . . . . : Correct the error indicated by the message or contact the application coordinator.							
CPF9999	Escape	40	19/01/09	22:40:01.831728	QMHNUNMSG		*N	Q400C15	Q400	001F
		Message . . . . . :	Function check. RPG9001 unmonitored by Q400C15 at statement 1000, instruction X'001F'.							
		Cause . . . . . :	An escape exception message was sent to a program which did not monitor for that message. The full name of the program to which the unmonitored message was sent is Q400C15 . At the time the message was sent the program was stopped at higher level language statement number{s} 1000. If more than one statement number is shown, the program was a bound program. Optimization does not allow a single statement number to be determined. If *N is shown as a value, it means the actual value was not available.							
		Recovery . . . . . :	See the low level messages previously listed to locate the cause of the function check. Correct any errors, and then try the request again.							
*NONE	Request		19/01/09	22:40:09.446024	QUICMD	QSYS	0461	QUICMD	QSYS	0461
		Message . . . . . :	-dspjob							
*NONE	Request		19/01/09	22:40:50.997976	QUICMD	QSYS	0461	QUICMD	QSYS	0461
		Message . . . . . :	-wrkobj q400u14 *pgm							
*NONE	Request		19/01/09	22:53:41.325456	QUICMD	QSYS	0461	QUICMD	QSYS	0461
		Message . . . . . :	-dspsavf declan/ptf							
CPF3812	Diagnostic	40	19/01/09	22:53:41.438176	QSRLIBS1	QSYS	*STMT	QMNRWKXX	QSYS	028E
		From module . . . . . . :	QSRS1MED							
		From procedure . . . . . . :	qsrSendMediaMessages							
		Statement . . . . . . :	32							
		Message . . . . . :	Save file PTF in DECLAN in use.							
		Cause . . . . . :	The save file is in use by another job or by an open file in this job. Recovery . . . . . : Use the Work with Object Locks {WRKOBJLCK} command to determine what job is using the file. Try the request again when the file is available.							
*NONE	Request		19/01/09	22:53:44.549920	QUICMD	QSYS	0461	QUICMD	QSYS	0461
		Message . . . . . :	-dspsavf declan/ptf							
CPC2102	Completion	00	19/01/09	22:54:26.086752	QLICRLIB	QSYS	0963	QMNCPYL	QSYS	006E
		Message . . . . . :	Library Q400CUM507 created.							
		Cause . . . . . :	Library Q400CUM507 created into auxiliary storage pool {ASP} 1, ASP device *SYSBAS.							
CPI2101	Information	00	19/01/09	22:54:26.604776	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
Message . . . : Object CLRSPLF in Q400CUM507 type *PGM created.										
CPI2101	Information	00	19/01/09	22:54:26.926896	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:27.217296	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:27.551632	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:27.839704	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:28.395712	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:28.789416	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:29.156312	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:29.431840	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:29.746440	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:30.043720	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:30.382880	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:30.764880	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:31.016896	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:31.350360	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:31.664048	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:31.982808	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:32.413112	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:32.779512	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:32.779512	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:33.057256	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:33.307768	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:33.728080	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:33.728080	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:34.001272	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:34.288912	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:34.576072	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:34.891352	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	22:54:35.444656	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E



MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
the Create Duplicate Object {CRTDUPOBJ} command were duplicated. See low level messages to determine if any objects were not duplicated.										
CPC2354	Completion	00	19/01/09	22:54:41.023968	QMNCPYL	QSYS	00DE	QMNRWKXX	QSYS	028E
*NONE	Request				Message . . . . : Library Q400CUM503 copied to library Q400CUM507.					
					19/01/09 22:55:23.086352	QPTCHECK	*N	QUICMD	QSYS	0461
CPF9810	Diagnostic	40	19/01/09	22:55:29.841072	QLIROHDL	QSYS	0127	QMNRWKXX	QSYS	028E
					Message . . . . : Library QVERSION not found.					
					Cause . . . . . : The specified library does not exist, or the name of the library is not spelled correctly. Recovery . . . . : Correct the spelling of the library name, or specify the name of an existing library. Then try the request again.					
*NONE	Request				19/01/09 22:55:41.353608	QUICMD	QSYS	0461	QUICMD	QSYS
CPD0013	Diagnostic	30	19/01/09	22:55:41.366880	QCANPARS	QSYS	0EE3	QMNRWKXX	QSYS	028E
					Message . . . . : A matching parenthesis not found.					
					Cause . . . . . : A matching left or right parenthesis is missing. Recovery . . . . : Add the missing parenthesis or remove the extra parenthesis.					
CPF0001	Diagnostic	30	19/01/09	22:55:41.367232	QCADRV2	QSYS	04D0	QMNRWKXX	QSYS	028E
					Message . . . . : Error found on *N command.					
					Cause . . . . . : The system detected errors in the command. Recovery . . . . : See the previously listed messages in the job log. Correct the errors and then try the command again. *N instead of a command name means that the name had not been determined before the error was found.					
*NONE	Request				19/01/09 22:55:45.229448	QUICMD	QSYS	0461	QUICMD	QSYS
*NONE	Request				Message . . . . : -WRKDTAARA DTAARA{Q400CUM507/qversion}					
*NONE	Request				19/01/09 22:56:13.691712	QUICMD	QSYS	0461	QUICMD	QSYS
*NONE	Request				Message . . . . : -dspDTAARA DTAARA{Q400CUM503/qversion}					
*NONE	Request				19/01/09 22:56:20.111224	QUICMD	QSYS	0461	QUICMD	QSYS
*NONE	Request				Message . . . . : -dspDTAARA DTAARA{Q400/qversion}					
*NONE	Request				19/01/09 22:56:36.826080	QUICMD	QSYS	0461	QUICMD	QSYS
*NONE	Request				Message . . . . : -wrkobj *all/savsplf *pgm					
*NONE	Request				19/01/09 22:58:03.645184	QUICMD	QSYS	0461	QUICMD	QSYS
*NONE	Request				Message . . . . : -dpsavf internet/q400ptf505					
*NONE	Request				19/01/09 22:58:20.921280	QPTKYPRC		*N	QUICMD	QSYS
*NONE	Request				Message . . . . : -RSTSPLF DEV{*SAVF}					
*NONE	Request				19/01/09 22:58:44.596392	QPTKYPRC		*N	QUICMD	QSYS
*NONE	Request				Message . . . . : -RST DEV{*savf}					
*NONE	Request				19/01/09 22:59:29.573320	QPTCHECK		*N	QUICMD	QSYS
					Message . . . . : -RSTOBJ OBJ{Q400U14} SAVLIB{DECLAN} DEV{*SAVF}					
					SAVF{DECLAN/PTF} RSTLIB{Q400}					
CPC3703	Completion	00	19/01/09	22:59:47.890784	QSRROCPR	QSYS	0621	QMNRWKXX	QSYS	028E
					Message . . . . : 1 objects restored from DECLAN to Q400.					
					Cause . . . . . : -- 1 objects were restored. -- 0 spooled files restored.					
					Data was restored from saved library DECLAN to library Q400 at 19/01/09 22:59:46. Objects were restored from save file PTF in library DECLAN.					
*NONE	Request				19/01/09 22:59:55.452120	QUICMD	QSYS	0461	QUICMD	QSYS
					Message . . . . : -wrksavops					
CPF2103	Escape	40	19/01/09	22:59:55.554040	QLICUSR	QSYS	0196	Q400C15	Q400	0010
					Message . . . . : Library Q400 already exists in library list.					
					Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . : If Q400 is the library					

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
						you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.					
CPF2103	Escape	40	19/01/09	22:59:59.503720	QLICUSR	QSYS	0196	RSTSPLF	Q400	0012	
						Message . . . . : Library Q400 already exists in library list.					
						Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.					
CPF2125	Escape	40	19/01/09	22:59:59.734704	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	0348	
						Message . . . . : No objects deleted.					
						Cause . . . . . : Object INDEXL* in QTEMP type *FILE was not deleted. The reason for this is one of the following: -- No objects were found; -- Objects were allocated by another job; -- The libraries were not found; -- The libraries were damaged. -- The library name is *ALL or *ALLUSR and the user is not authorized to the library. Recovery . . . . : If objects were not found, use the DSPOBJD command to find the names of the objects. If objects were allocated by another job, use the WRKOBJLCK command to find the job that has allocated each object. If libraries are damaged, restore the libraries {RSTLIB command} or delete the libraries {DLTLIB command}.					
CPF2105	Escape	40	19/01/09	22:59:59.737152	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	034F	
						Message . . . . : Object INDEX in QTEMP type *FILE not found.					
						Cause . . . . . : No object was found for the name or type specified.					
						Recovery . . . . : Specify the correct name or type of the object. Then try the request again.					
CPF3806	Diagnostic	20	19/01/09	23:00:00.323024	QSRRSFIL	QSYS	0800	RSTSPLF	Q400	041D	
						Message . . . . : Objects from save file TEST in DECLAN not restored.					
						Cause . . . . . : The library name in the save file does not match the library name that you specified in the SAVLIB parameter. Recovery . . . . :					
						Use the DSPSAVF command to display the save file and to determine the library from which the objects were saved. Specify the correct library in the SAVLIB parameter and try the command again.					
CPF3780	Escape	30	19/01/09	23:00:00.338400	QSRRSFIL	QSYS	07EE	RSTSPLF	Q400	041D	
						Message . . . . : Specified file for library QTEMP not found.					
						Cause . . . . . : The data in the save file or on the tape, diskette or optical volume did not match the specified parameters. Recovery . . . . :					
						See the previously listed messages. If the restore operation is from diskette, tape or optical, display the contents of the volume using the appropriate display command specifying the DATA{*SAVRST} parameter. If the restore operation uses a save file, display the contents of the save file {DSPSAVF command}. Correct any errors and then try the request again.					
*NONE	Information		19/01/09	23:00:00.539040	RSTSPLF	Q400	04EE	*N	*N	*N	
						Message . . . . : AN ERROR HAS OCCURED - SEE JOBLOG					
*NONE	Request		19/01/09	23:00:08.580824	QMNSYSRQ	QSYS	04A4	QMNSYSRQ	QSYS	04A4	
						Message . . . . : - *SYSTEM/DSPJOB					
*NONE	Request		19/01/09	23:00:25.893528	QMNSYSRQ	QSYS	04A4	QMNSYSRQ	QSYS	04A4	
						Message . . . . : - *SYSTEM/DSPJOB					
*NONE	Request		19/01/09	23:02:01.048736	QUICMD	QSYS	0461	QUICMD	QSYS	0461	
						Message . . . . : -wrkjob					
*NONE	Request		19/01/09	23:02:58.093432	QUICMD	QSYS	0461	QUICMD	QSYS	0461	
						Message . . . . : -dspsavf declan/ptf					
*NONE	Request		19/01/09	23:03:11.613656	QUICMD	QSYS	0461	QUICMD	QSYS	0461	
						Message . . . . : -dspsavf declan/ptf					

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
*NONE	Request			19/01/09	23:03:24.803264	QPTCHECK	*N	QUICMD	QSYS	0461	
					Message . . . . . :	-RSTOBJ OBJ{Q400U14} SAVLIB{DECLAN} DEV{*SAVF}					
					SAVF{DECLAN/PTF}	RSTLIB{Q400}					
CPC3703	Completion	00	19/01/09	23:03:26.947272	QSRRROCPR	QSYS	0621	QMNRWKXX	QSYS	028E	
					Message . . . . . :	1 objects restored from DECLAN to Q400.					
					Cause . . . . . :	-- 1 objects were restored. -- 0 spooled files restored.					
						Data was restored from saved library DECLAN to library Q400 at 19/01/09					
						23:03:25. Objects were restored from save file PTF in library DECLAN.					
*NONE	Request			19/01/09	23:03:39.164680	QUICMD	QSYS	0461	QUICMD	QSYS	0461
					Message . . . . . :	-wrksavops					
CPF2103	Escape	40	19/01/09	23:03:39.180576	QLICUSR	QSYS	0196	Q400C15	Q400	0010	
					Message . . . . . :	Library Q400 already exists in library list.					
					Cause . . . . . :	The library Q400 already exists in the library search					
						list. The library was not added. Recovery . . . . . :	If Q400 is the library				
						you specified omit the command. If you did not specify library Q400 then					
						change the library name {LIB parameter}. Then try the command again.					
CPF2103	Escape	40	19/01/09	23:03:41.808760	QLICUSR	QSYS	0196	RSTSPLF	Q400	0012	
					Message . . . . . :	Library Q400 already exists in library list.					
					Cause . . . . . :	The library Q400 already exists in the library search					
						list. The library was not added. Recovery . . . . . :	If Q400 is the library				
						you specified omit the command. If you did not specify library Q400 then					
						change the library name {LIB parameter}. Then try the command again.					
CPF2125	Escape	40	19/01/09	23:03:41.996984	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	0348	
					Message . . . . . :	No objects deleted.					
					Cause . . . . . :	Object INDEXL* in QTEMP type *FILE was not deleted. The					
						reason for this is one of the following: -- No objects were found; --					
						Objects were allocated by another job; -- The libraries were not found; --					
						The libraries were damaged. -- The library name is *ALL or *ALLUSR and the					
						user is not authorized to the library. Recovery . . . . . :	If objects were				
						not found, use the DSPOBJD command to find the names of the objects. If					
						objects were allocated by another job, use the WRKOBJLCK command to find the					
						job that has allocated each object. If libraries are damaged, restore the					
						libraries {RSTLIB command} or delete the libraries {DLTLIB command}.					
CPF2105	Escape	40	19/01/09	23:03:41.999456	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	034F	
					Message . . . . . :	Object INDEX in QTEMP type *FILE not found.					
					Cause . . . . . :	No object was found for the name or type specified.					
					Recovery . . . . . :	Specify the correct name or type of the object. Then try					
						the request again.					
CPF3806	Diagnostic	20	19/01/09	23:03:42.971016	QSRRSFIL	QSYS	0800	RSTSPLF	Q400	041D	
					Message . . . . . :	Objects from save file TEST in DECLAN not restored.					
					Cause . . . . . :	The library name in the save file does not match the					
						library name that you specified in the SAVLIB parameter. Recovery . . . . . :					
						Use the DSPSAVF command to display the save file and to determine the					
						library from which the objects were saved. Specify the correct library in					
						the SAVLIB parameter and try the command again.					
CPF3780	Escape	30	19/01/09	23:03:42.971264	QSRRSFIL	QSYS	07EE	RSTSPLF	Q400	041D	
					Message . . . . . :	Specified file for library QTEMP not found.					
					Cause . . . . . :	The data in the save file or on the tape, diskette or					
						optical volume did not match the specified parameters. Recovery . . . . . :					
						See the previously listed messages. If the restore operation is from					
						diskette, tape or optical, display the contents of the volume using the					
						appropriate display command specifying the DATA{*SAVRST} parameter. If the					

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
						restore operation uses a save file, display the contents of the save file {DSPSAVF command}. Correct any errors and then try the request again.					
*NONE	Information		19/01/09	23:03:43.196856	RSTSPLF	Q400	04EE	*N	*N	*N	
*NONE	Request		19/01/09	23:03:56.851024	QUICMD	QSYS	0461	QUICMD	QSYS	0461	
*NONE	Request		19/01/09	23:05:31.361736	QPTCHECK		*N	QUICMD	QSYS	0461	
CPC3703	Completion		00	19/01/09 23:05:35.697192	QSRROCPR	QSYS	0621	QMNRWKXX	QSYS	028E	
					Message . . . . : 1 objects restored from DECLAN to Q400.						
					Cause . . . . . : -- 1 objects were restored. -- 0 spooled files restored.						
					Data was restored from saved library DECLAN to library Q400 at 19/01/09 23:05:34. Objects were restored from save file PTF in library DECLAN.						
*NONE	Request		19/01/09	23:05:46.093936	QUICMD	QSYS	0461	QUICMD	QSYS	0461	
CPF2103	Escape		40	19/01/09 23:05:46.096720	QLICUSR	QSYS	0196	Q400C15	Q400	0010	
					Message . . . . : Library Q400 already exists in library list.						
					Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.						
CPF2103	Escape		40	19/01/09 23:05:49.141888	QLICUSR	QSYS	0196	RSTSPLF	Q400	0012	
					Message . . . . : Library Q400 already exists in library list.						
					Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.						
CPF2125	Escape		40	19/01/09 23:05:49.348544	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	0348	
					Message . . . . : No objects deleted.						
					Cause . . . . . : Object INDEXL* in QTEMP type *FILE was not deleted. The reason for this is one of the following: -- No objects were found; -- Objects were allocated by another job; -- The libraries were not found; -- The libraries were damaged. -- The library name is *ALL or *ALLUSR and the user is not authorized to the library. Recovery . . . . : If objects were not found, use the DSPOBJD command to find the names of the objects. If objects were allocated by another job, use the WRKOBJLCK command to find the job that has allocated each object. If libraries are damaged, restore the libraries {RSTLIB command} or delete the libraries {DLTLIB command}.						
CPF2105	Escape		40	19/01/09 23:05:49.351008	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	034F	
					Message . . . . : Object INDEX in QTEMP type *FILE not found.						
					Cause . . . . . : No object was found for the name or type specified.						
					Recovery . . . . : Specify the correct name or type of the object. Then try the request again.						
CPF3291	Information		10	19/01/09 23:05:50.803520	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96	
					Message . . . . : File INDEXL2 restored with different library for depended-on files.						
					Cause . . . . . : The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL2 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.						

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPF3291	Information	10	19/01/09	23:05:51.279064	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96
					Message . . . . . :	File INDEXL3 restored with different library for depended-on files.				
					Cause . . . . . :	The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL3 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.				
CPF3291	Information	10	19/01/09	23:05:51.771368	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96
					Message . . . . . :	File INDEXL1 restored with different library for depended-on files.				
					Cause . . . . . :	The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL1 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.				
CPI3203	Information	00	19/01/09	23:05:52.748480	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
					Message . . . . . :	3 logical access paths saved or restored.				
					Cause . . . . . :	A save operation was done with the ACCPTH{*YES} parameter specified, and 3 logical access paths are stored on the media with file INDEX in library QTEMP.				
CPF3292	Information	10	19/01/09	23:05:52.797496	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
					Message . . . . . :	File INDEX in library QTEMP restored.				
					Cause . . . . . :	File INDEX in library QTEMP was restored with 1 members added, 0 members replaced, 0 members not changed, and 0 members damaged.				
CPF3292	Information	10	19/01/09	23:05:52.845320	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
					Message . . . . . :	File INDEXL2 in library QTEMP restored.				
					Cause . . . . . :	File INDEXL2 in library QTEMP was restored with 1 members added, 0 members replaced, 0 members not changed, and 0 members damaged.				
CPF3292	Information	10	19/01/09	23:05:52.893048	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
					Message . . . . . :	File INDEXL3 in library QTEMP restored.				
					Cause . . . . . :	File INDEXL3 in library QTEMP was restored with 1 members added, 0 members replaced, 0 members not changed, and 0 members damaged.				
CPF3292	Information	10	19/01/09	23:05:52.934856	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
					Message . . . . . :	File INDEXL1 in library QTEMP restored.				
					Cause . . . . . :	File INDEXL1 in library QTEMP was restored with 1 members added, 0 members replaced, 0 members not changed, and 0 members damaged.				
CPC3703	Completion	00	19/01/09	23:05:53.020528	QSRROCPR	QSYS	0621	RSTSPLF	Q400	03ED
					Message . . . . . :	4 objects restored from Q400 to QTEMP.				
					Cause . . . . . :	-- 4 objects were restored. -- 0 spooled files restored.				
					Data was restored from saved library Q400 to library QTEMP at 19/01/09 23:05:49. Objects were restored from save file TEST in library DECLAN.					
CPI3203	Information	00	19/01/09	23:05:54.197560	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
					Message . . . . . :	3 logical access paths saved or restored.				
					Cause . . . . . :	A save operation was done with the ACCPTH{*YES} parameter specified, and 3 logical access paths are stored on the media with file INDEX in library QTEMP.				
CPF3292	Information	10	19/01/09	23:05:54.237576	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
					Message . . . . . :	File INDEX in library QTEMP restored.				
					Cause . . . . . :	File INDEX in library QTEMP was restored with 0 members added, 1 members replaced, 0 members not changed, and 0 members damaged.				
CPF3292	Information	10	19/01/09	23:05:54.279352	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
Message . . . . . : File INDEXL2 in library QTEMP restored. Cause . . . . . : File INDEXL2 in library QTEMP was restored with 0 members added, 0 members replaced, 1 members not changed, and 0 members damaged.										
CPF3292	Information	10	19/01/09	23:05:54.315216	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
Message . . . . . : File INDEXL3 in library QTEMP restored. Cause . . . . . : File INDEXL3 in library QTEMP was restored with 0 members added, 0 members replaced, 1 members not changed, and 0 members damaged.										
CPF3292	Information	10	19/01/09	23:05:54.351360	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
Message . . . . . : File INDEXL1 in library QTEMP restored. Cause . . . . . : File INDEXL1 in library QTEMP was restored with 0 members added, 0 members replaced, 1 members not changed, and 0 members damaged.										
CPC3703	Completion	00	19/01/09	23:05:54.424712	QRROCPY	QSYS	0621	RSTSPLF	Q400	03FC
Message . . . . . : 4 objects restored from Q400 to QTEMP. Cause . . . . . : -- 4 objects were restored. -- 0 spooled files restored. Data was restored from saved library Q400 to library QTEMP at 19/01/09 23:05:53. Objects were restored from save file TEST in library DECLAN.										
CPF0551	Escape	40	19/01/09	23:05:54.489528	QCNCVDT	QSYS	01ED	RSTSPLF	Q400	0498
Message . . . . . : Separators in date are not valid. Cause . . . . . : Valid separators not found in date. Recovery . . . . . : Use a valid separator in a date. Valid separators are a dash, a slash, a period, a comma, or a space.										
*NONE	Information		19/01/09	23:05:54.506736	RSTSPLF	Q400	04EE	*N	*N	*N
Message . . . . . : AN ERROR HAS OCCURED - SEE JOBLOG										
*NONE	Request		19/01/09	23:06:16.124992	QMNSYSRQ	QSYS	04A4	QMNSYSRQ	QSYS	04A4
*NONE	Request		19/01/09	23:08:18.580704	QPTKYPRC		*N	QUICMD	QSYS	0461
*NONE	Request		19/01/09	23:10:41.623440	QPTCHECK		*N	QUICMD	QSYS	0461
Message . . . . . : -RSTOBJ OBJ{Q400U14} SAVLIB{DECLAN} DEV{*SAVF} SAVF{DECLAN/PTF} RSTLIB{Q400}										
CPC3703	Completion	00	19/01/09	23:10:43.409720	QRROCPY	QSYS	0621	QMNRWKXX	QSYS	028E
Message . . . . . : 1 objects restored from DECLAN to Q400. Cause . . . . . : -- 1 objects were restored. -- 0 spooled files restored. Data was restored from saved library DECLAN to library Q400 at 19/01/09 23:10:42. Objects were restored from save file PTF in library DECLAN.										
*NONE	Request		19/01/09	23:11:18.458280	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -wrksavops										
CPF2103	Escape	40	19/01/09	23:11:18.468296	QLICUSR	QSYS	0196	Q400C15	Q400	0010
Message . . . . . : Library Q400 already exists in library list. Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.										
CPF2103	Escape	40	19/01/09	23:11:21.207144	QLICUSR	QSYS	0196	RSTSPLF	Q400	0012
Message . . . . . : Library Q400 already exists in library list. Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.										
CPC2191	Information	00	19/01/09	23:11:22.058128	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object INDEXL1 in QTEMP type *FILE deleted.										
CPC2191	Information	00	19/01/09	23:11:22.058544	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
<p>Message . . . . : Object INDEXL2 in QTEMP type *FILE deleted.</p>										
CPC2191	Information	00	19/01/09	23:11:22.058848	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
CPC2116	Completion	00	19/01/09	23:11:22.059592	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	0348
CPC2191	Completion	00	19/01/09	23:11:22.218752	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	034F
CPF3291	Information	10	19/01/09	23:11:23.181704	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96
CPF3291	Information	10	19/01/09	23:11:23.666496	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96
CPF3291	Information	10	19/01/09	23:11:23.978896	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96
CPI3203	Information	00	19/01/09	23:11:24.737912	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information	10	19/01/09	23:11:24.785888	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information	10	19/01/09	23:11:24.821728	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information	10	19/01/09	23:11:24.857600	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information	10	19/01/09	23:11:24.899408	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E



Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.										
CPF2103	Escape	40	19/01/09	23:14:25.665472	QLICUSR	QSYS	0196	RSTSPLF	Q400	0012
Message . . . . . : Library Q400 already exists in library list.										
Cause . . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.										
CPC2191	Information	00	19/01/09	23:14:26.436584	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object INDEXL1 in QTEMP type *FILE deleted.										
CPC2191	Information	00	19/01/09	23:14:26.436952	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object INDEXL2 in QTEMP type *FILE deleted.										
CPC2191	Information	00	19/01/09	23:14:26.437264	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object INDEXL3 in QTEMP type *FILE deleted.										
CPC2116	Completion	00	19/01/09	23:14:26.438016	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	0348
Message . . . . . : All 3 objects of type *FILE deleted.										
Cause . . . . . : All objects on the request were deleted. See the low level messages for the names of the objects deleted.										
CPC2191	Completion	00	19/01/09	23:14:26.603152	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	034F
Message . . . . . : Object INDEX in QTEMP type *FILE deleted.										
CPF3291	Information	10	19/01/09	23:14:27.400424	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96
Message . . . . . : File INDEXL2 restored with different library for depended-on files.										
Cause . . . . . : The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL2 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.										
CPF3291	Information	10	19/01/09	23:14:27.785680	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96
Message . . . . . : File INDEXL3 restored with different library for depended-on files.										
Cause . . . . . : The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL3 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.										
CPF3291	Information	10	19/01/09	23:14:28.144176	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96
Message . . . . . : File INDEXL1 restored with different library for depended-on files.										
Cause . . . . . : The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL1 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.										
CPI3203	Information	00	19/01/09	23:14:28.893536	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
Message . . . . . : 3 logical access paths saved or restored.										
Cause . . . . . : A save operation was done with the ACCPTH{*YES} parameter specified, and 3 logical access paths are stored on the media with file INDEX in library QTEMP.										
CPF3292	Information	10	19/01/09	23:14:28.937368	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPF3292	Information				Message . . . . : File INDEX in library QTEMP restored. Cause . . . . : File INDEX in library QTEMP was restored with 1 members added, 0 members replaced, 0 members not changed, and 0 members damaged.					
CPF3292	Information	10	19/01/09	23:14:28.973096	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information				Message . . . . : File INDEXL2 in library QTEMP restored. Cause . . . . : File INDEXL2 in library QTEMP was restored with 1 members added, 0 members replaced, 0 members not changed, and 0 members damaged.					
CPF3292	Information	10	19/01/09	23:14:29.008944	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPC3703	Completion				Message . . . . : File INDEXL3 in library QTEMP restored. Cause . . . . : File INDEXL3 in library QTEMP was restored with 1 members added, 0 members replaced, 0 members not changed, and 0 members damaged.					
CPF3292	Information	10	19/01/09	23:14:29.044800	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPI3203	Information				Message . . . . : File INDEXL1 in library QTEMP restored. Cause . . . . : File INDEXL1 in library QTEMP was restored with 1 members added, 0 members replaced, 0 members not changed, and 0 members damaged.					
CPC3703	Completion	00	19/01/09	23:14:29.113608	QSRROCPR	QSYS	0621	RSTSPLF	Q400	03ED
CPF3292	Information				Message . . . . : 4 objects restored from Q400 to QTEMP. Cause . . . . : -- 4 objects were restored. -- 0 spooled files restored. Data was restored from saved library Q400 to library QTEMP at 19/01/09 23:14:26. Objects were restored from save file TEST in library DECLAN.					
CPF3292	Information	00	19/01/09	23:14:30.374424	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information				Message . . . . : 3 logical access paths saved or restored. Cause . . . . : A save operation was done with the ACCPTH{*YES} parameter specified, and 3 logical access paths are stored on the media with file INDEX in library QTEMP.					
CPF3292	Information	10	19/01/09	23:14:30.407264	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information				Message . . . . : File INDEX in library QTEMP restored. Cause . . . . : File INDEX in library QTEMP was restored with 0 members added, 1 members replaced, 0 members not changed, and 0 members damaged.					
CPF3292	Information	10	19/01/09	23:14:30.449112	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information				Message . . . . : File INDEXL2 in library QTEMP restored. Cause . . . . : File INDEXL2 in library QTEMP was restored with 0 members added, 0 members replaced, 1 members not changed, and 0 members damaged.					
CPF3292	Information	10	19/01/09	23:14:30.484928	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information				Message . . . . : File INDEXL3 in library QTEMP restored. Cause . . . . : File INDEXL3 in library QTEMP was restored with 0 members added, 0 members replaced, 1 members not changed, and 0 members damaged.					
CPF3292	Information	10	19/01/09	23:14:30.514792	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E
CPF3292	Information				Message . . . . : File INDEXL1 in library QTEMP restored. Cause . . . . : File INDEXL1 in library QTEMP was restored with 0 members added, 0 members replaced, 1 members not changed, and 0 members damaged.					
CPC3703	Completion	00	19/01/09	23:14:30.583616	QSRROCPR	QSYS	0621	RSTSPLF	Q400	03FC
*NONE	Request				Message . . . . : 4 objects restored from Q400 to QTEMP. Cause . . . . : -- 4 objects were restored. -- 0 spooled files restored. Data was restored from saved library Q400 to library QTEMP at 19/01/09 23:14:29. Objects were restored from save file TEST in library DECLAN.					
CPF9801	Escape				19/01/09 23:14:37.311024 QMNSYSRQ QSYS 04A4 QMNSYSRQ QSYS 04A4					
CPF9801	Escape	40	19/01/09	23:14:47.717976	QLICKOBJ	QSYS	01B3	Q400C25	Q400	002A
					Message . . . . : Object U0002136 in library Q400 not found. Cause . . . . : The object U0002136 in library Q400 type *OUTQ not found. The object name, library name, or the object type is not correct. If the					

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
					library name is not specified, the object may be in a library that is not contained in the library list. Recovery . . . : Correct the object name, library name, or object type. If the library name was not specified, specify the library name and try the request again.						
CPI3733	Information	00	19/01/09	23:14:48.821824	QSRLTCP2	QSYS	0F53	QSRADOPT	QSYS	0009	
					Message . . . : 1 existing spooled files not restored.						
					Cause . . . . : 1 spooled files were not restored because they already exist on the system. No messages were sent for these spooled files. Recovery . . . : To restore a spooled file that already exists, do one of the following: -- Delete the existing spooled file first. -- Use the Restore Object List {QSRSTO} API to create a duplicate of the spooled file.						
CPC3703	Completion	00	19/01/09	23:14:48.874872	QSRROCPR	QSYS	0621	Q400C25	Q400	0074	
					Message . . . : 1 objects restored from Q400 to Q400.						
					Cause . . . . : -- 1 objects were restored. -- 0 spooled files restored.						
					Data was restored from saved library Q400 to library Q400 at 19/01/09 23:14:47. Objects were restored from save file TEST in library DECLAN.						
*NONE	Request			19/01/09	23:14:52.043040	QMNSYSRQ	QSYS	04A4	QMNSYSRQ	QSYS	
					Message . . . : - *SYSTEM/DSPJOB						
CPF9801	Escape	40	19/01/09	23:15:47.581040	QLICKOBJ	QSYS	01B3	Q400C25	Q400	002A	
					Message . . . : Object U0002135 in library Q400 not found.						
					Cause . . . . : The object U0002135 in library Q400 type *OUTQ not found.						
					The object name, library name, or the object type is not correct. If the library name is not specified, the object may be in a library that is not contained in the library list. Recovery . . . : Correct the object name, library name, or object type. If the library name was not specified, specify the library name and try the request again.						
CPC3703	Completion	00	19/01/09	23:15:49.114744	QSRROCPR	QSYS	0621	Q400C25	Q400	0074	
					Message . . . : 1 objects restored from Q400 to Q400.						
					Cause . . . . : -- 1 objects were restored. -- 1 spooled files restored.						
					Data was restored from saved library Q400 to library Q400 at 19/01/09 23:15:47. Objects were restored from save file TEST in library DECLAN.						
CPF3344	Escape	40	19/01/09	23:15:58.992240	QSPCHSPF	QSYS	1F6C	Q400C27	Q400	002C	
					Message . . . : File RSTSPLF number 3 no longer in the system.						
					Cause . . . . : The file RSTSPLF number 3 job 013330/QSECOFR/QPADEV0002 that you specified was removed from the system after being produced by a writer or cleared from an output queue or deleted.						
CPC2191	Information	00	19/01/09	23:16:05.333184	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B	
					Message . . . : Object INDEX in QTEMP type *FILE deleted.						
CPC2191	Information	00	19/01/09	23:16:05.333504	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B	
					Message . . . : Object INDEXL1 in QTEMP type *FILE deleted.						
CPC2191	Information	00	19/01/09	23:16:05.333848	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B	
					Message . . . : Object INDEXL2 in QTEMP type *FILE deleted.						
CPC2191	Information	00	19/01/09	23:16:05.334152	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B	
					Message . . . : Object INDEXL3 in QTEMP type *FILE deleted.						
CPC2116	Completion	00	19/01/09	23:16:05.334896	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	04CA	
					Message . . . : All 4 objects of type *FILE deleted.						
					Cause . . . . : All objects on the request were deleted. See the low level messages for the names of the objects deleted.						
CPC2191	Information	00	19/01/09	23:16:05.425768	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B	
					Message . . . : Object U0002135 in Q400 type *OUTQ deleted.						
CPC2191	Information	00	19/01/09	23:16:05.521344	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B	
					Message . . . : Object U0002136 in Q400 type *OUTQ deleted.						

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
CPC2116	Completion	00	19/01/09	23:16:05.522168	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	04E7	
					Message . . . . : All 2 objects of type *OUTQ deleted.						
					Cause . . . . : All objects on the request were deleted. See the low level messages for the names of the objects deleted.						
CPF2103	Escape	40	19/01/09	23:16:08.024592	QLICUSR	QSYS	0196	RSTSPLF	Q400	0012	
					Message . . . . : Library Q400 already exists in library list.						
					Cause . . . . : The library Q400 already exists in the library search list. The library was not added. Recovery . . . . : If Q400 is the library you specified omit the command. If you did not specify library Q400 then change the library name {LIB parameter}. Then try the command again.						
CPF2125	Escape	40	19/01/09	23:16:08.198832	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	0348	
					Message . . . . : No objects deleted.						
					Cause . . . . : Object INDEXL* in QTEMP type *FILE was not deleted. The reason for this is one of the following: -- No objects were found; -- Objects were allocated by another job; -- The libraries were not found; -- The libraries were damaged. -- The library name is *ALL or *ALLUSR and the user is not authorized to the library. Recovery . . . . : If objects were not found, use the DSPOBJD command to find the names of the objects. If objects were allocated by another job, use the WRKOBJLCK command to find the job that has allocated each object. If libraries are damaged, restore the libraries {RSTLIB command} or delete the libraries {DLTLIB command}.						
CPF2105	Escape	40	19/01/09	23:16:08.201296	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	034F	
					Message . . . . : Object INDEX in QTEMP type *FILE not found.						
					Cause . . . . : No object was found for the name or type specified.						
					Recovery . . . . : Specify the correct name or type of the object. Then try the request again.						
CPF3291	Information	10	19/01/09	23:16:09.199632	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96	
					Message . . . . : File INDEXL2 restored with different library for depended-on files.						
					Cause . . . . : The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL2 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.						
CPF3291	Information	10	19/01/09	23:16:09.643736	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96	
					Message . . . . : File INDEXL3 restored with different library for depended-on files.						
					Cause . . . . : The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL3 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.						
CPF3291	Information	10	19/01/09	23:16:09.971544	QDBRSPRE	QSYS	0F96	QDBRSPRE	QSYS	0F96	
					Message . . . . : File INDEXL1 restored with different library for depended-on files.						
					Cause . . . . : The depended-on files from library Q400 are found in library QTEMP and are used for restoring file INDEXL1 in library QTEMP. The depended-on files are either the based-on physical files for a logical file or Structured Query Language {SQL} materialized query table, or the based-on logical files for an SQL view or materialized query table.						
CPI3203	Information	00	19/01/09	23:16:10.693704	QDBRSPST	QSYS	057E	QDBRSPST	QSYS	057E	
					Message . . . . : 3 logical access paths saved or restored.						



Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
Cause . . . . . : The object U0002136 in library Q400 type *OUTQ not found. The object name, library name, or the object type is not correct. If the library name is not specified, the object may be in a library that is not contained in the library list. Recovery . . . . . : Correct the object name, library name, or object type. If the library name was not specified, specify the library name and try the request again.										
CPC3703	Completion	00	19/01/09	23:16:17.701728	QSRROCPR	QSYS	0621	Q400C25	Q400	0074
Message . . . . . : 1 objects restored from Q400 to Q400. Cause . . . . . : -- 1 objects were restored. -- 1 spooled files restored. Data was restored from saved library Q400 to library Q400 at 19/01/09 23:16:16. Objects were restored from save file TEST in library DECLAN.										
CPC2191	Information	00	19/01/09	23:16:25.769912	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object INDEX in QTEMP type *FILE deleted.										
CPC2191	Information	00	19/01/09	23:16:25.770232	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object INDEXL1 in QTEMP type *FILE deleted.										
CPC2191	Information	00	19/01/09	23:16:25.770576	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object INDEXL2 in QTEMP type *FILE deleted.										
CPC2191	Information	00	19/01/09	23:16:25.770880	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object INDEXL3 in QTEMP type *FILE deleted.										
CPC2116	Completion	00	19/01/09	23:16:25.771632	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	04CA
Message . . . . . : All 4 objects of type *FILE deleted. Cause . . . . . : All objects on the request were deleted. See the low level messages for the names of the objects deleted.										
CPC2191	Information	00	19/01/09	23:16:25.868504	QLIDLOBJ	QSYS	051B	QLIDLOBJ	QSYS	051B
Message . . . . . : Object U0002136 in Q400 type *OUTQ deleted.										
CPC2116	Completion	00	19/01/09	23:16:25.869352	QLIDLOBJ	QSYS	051B	RSTSPLF	Q400	04E7
Message . . . . . : All 1 objects of type *OUTQ deleted. Cause . . . . . : All objects on the request were deleted. See the low level messages for the names of the objects deleted.										
*NONE	Request		19/01/09	23:16:30.449328	QMNSYSRQ	QSYS	04A4	QMNSYSRQ	QSYS	04A4
Message . . . . . : - *SYSTEM/DSPJOB										
*NONE	Request		19/01/09	23:17:15.219848	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -dsplib qtemp										
*NONE	Request		19/01/09	23:17:33.757480	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -version										
*NONE	Request		19/01/09	23:18:09.480920	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -dspdtaara q400cum507/qversion										
*NONE	Request		19/01/09	23:18:20.156712	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -dspdtaara q400/qversion										
*NONE	Request		19/01/09	23:18:55.539432	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -dspdtaara q400cum507/qversion										
*NONE	Request		19/01/09	23:19:11.613408	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -wrkdtaraa q400/qversion										
*NONE	Request		19/01/09	23:19:50.211056	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -crtlib q400ptf507										
CPC2102	Completion	00	19/01/09	23:19:50.561336	QLICRLIB	QSYS	0963	QMNRWKXX	QSYS	028E
Message . . . . . : Library Q400PTF507 created. Cause . . . . . : Library Q400PTF507 created into auxiliary storage pool {ASP} 1, ASP device *SYSBAS.										
*NONE	Request		19/01/09	23:19:54.237008	QPTKYPRC		*N	QUICMD	QSYS	0461
Message . . . . . : -SAVOBJ LIB{Q400}										
*NONE	Request		19/01/09	23:20:37.080976	QPTCHECK		*N	QUICMD	QSYS	0461



Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
Message . . . : Object Q400U5FM in Q400CUM507 type *FILE deleted.										
CPC2191	Completion	00	19/01/09	23:24:42.489880	QLIDLFL	QSYS	006F	QLICLLIB	QSYS	059D
CPC2191	Completion	00	19/01/09	23:24:42.553520	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:42.667160	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:42.912088	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:42.912088	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.049512	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.127224	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.204848	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.324376	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.455848	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.539536	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.623144	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.730728	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.850240	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:43.939904	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.041512	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.154992	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.226680	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.334360	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.423968	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.4543392	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.4770544	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.650944	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.895960	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:44.997560	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:45.105120	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:45.212744	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC

Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . : 014060  
 Job description . . . . . : QDFTJOB D Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
Message . . . : Object Q400C24 in Q400CUM507 type *PGM deleted.										
CPC2191	Completion	00	19/01/09	23:24:45.332184	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:45.451696	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:45.553288	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:45.654864	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:45.768448	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:45.899872	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:46.019416	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:46.132960	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:46.252504	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:46.365984	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:46.485536	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:46.610992	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2191	Completion	00	19/01/09	23:24:46.730520	QLIDLOBJ	QSYS	051B	QLICLLIB	QSYS	05DC
CPC2199	Completion	00	19/01/09	23:24:57.307224	QLICLLIB	QSYS	0514	QMNWRKXX	QSYS	028E
Message . . . : Library Q400CUM507 cleared.										
Cause . . . . . : Library Q400CUM507 in auxiliary storage pool {ASP} 1, ASP device *SYSBAS, cleared.										
*NONE	Request		19/01/09	23:25:03.418152	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . . : -wrklib q400ptf507										
*NONE	Request		19/01/09	23:25:38.919112	QPTCHECK		*N	QUICMD	QSYS	0461
Message . . . . . : -RSTOBJ OBJ{*ALL} SAVLIB{Q400CUM503} DEV{*SAVF}										
SAVF{INTERNET/Q400CUM503} RSTLIB{Q400PTF507}										
CPC3703	Completion	00	19/01/09	23:26:22.920440	QSRROCPR	QSYS	0621	QMNWRKXX	QSYS	028E
Message . . . . . : 51 objects restored from Q400CUM503 to Q400PTF507.										
Cause . . . . . : -- 51 objects were restored. -- 0 spooled files restored.										
Data was restored from saved library Q400CUM503 to library Q400PTF507 at 19/01/09 23:26:14. Objects were restored from save file Q400CUM503 in library INTERNET.										
*NONE	Request		19/01/09	23:26:40.887128	QPTCHECK		*N	QUICMD	QSYS	0461
Message . . . . . : -RSTOBJ OBJ{Q400U14} SAVLIB{DECLAN} DEV{*SAVF}										
SAVF{DECLAN/PTF} RSTLIB{Q400CUM507}										
CPC3703	Completion	00	19/01/09	23:26:48.866440	QSRROCPR	QSYS	0621	QMNWRKXX	QSYS	028E
Message . . . . . : 1 objects restored from DECLAN to Q400CUM507.										
Cause . . . . . : -- 1 objects were restored. -- 0 spooled files restored.										
Data was restored from saved library DECLAN to library Q400CUM507 at 19/01/09 23:26:47. Objects were restored from save file PTF in library DECLAN.										
*NONE	Request		19/01/09	23:27:13.590096	QPTCHECK		*N	QUICMD	QSYS	0461







Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
<pre>Message . . . : Object Q400R13 in Q400CUM507 type *PGM created.</pre>										
CPI2101	Information	00	19/01/09	23:43:02.252920	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:02.514048	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:02.778648	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:03.233288	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:03.672760	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:03.994536	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:04.247224	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:04.630240	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:05.041528	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:05.313200	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:05.559376	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:05.827480	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:06.217256	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPD2104	Diagnostic	40	19/01/09	23:43:06.250720	QLICRDUP	QSYS	0ADB	QMNRWKXX	QSYS	028E
<pre>Message . . . : Object SAVSPLF in Q400CUM507 type *PGM already exists.</pre>										
<pre>Cause . . . : An object of the same name and type already exists in library Q400CUM507. Recovery . . . : Either change the TOLIB name, or change the NEWOBJ name, or delete the existing object. Try the command again.</pre>										
CPI2101	Information	00	19/01/09	23:43:06.413520	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
<pre>Message . . . : Object Q400MSGF in Q400CUM507 type *MSGF created.</pre>										
CPI2101	Information	00	19/01/09	23:43:06.764904	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:06.894312	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:07.002392	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:07.107864	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:07.240448	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:07.382632	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:07.477912	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:07.574920	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E
CPI2101	Information	00	19/01/09	23:43:07.684960	QLICRDUP	QSYS	047E	QLICRDUP	QSYS	047E



Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
Cause . . . . . : The data in the save file or on the tape, diskette or optical volume did not match the specified parameters. Recovery . . . : See the previously listed messages. If the restore operation is from diskette, tape or optical, display the contents of the volume using the appropriate display command specifying the DATA{*SAVRST} parameter. If the restore operation uses a save file, display the contents of the save file {DSPSAVF command}. Correct any errors and then try the request again.										
*NONE	Request		19/01/09	23:46:28.228072	QPTCHECK		*N	QUICMD	QSYS	0461
Message . . . . : -RSTOBJ OBJ{*ALL} SAVLIB{Q400CUM503} DEV{*SAVF} SAVF{INTERNET/Q400CUM503} RSTLIB{Q400CUM507}										
CPC3703	Completion	00	19/01/09	23:46:44.262728	QSRROCPR	QSYS	0621	QMNRWKXX	QSYS	028E
Message . . . . : 51 objects restored from Q400CUM503 to Q400CUM507. Cause . . . . . : -- 51 objects were restored. -- 0 spooled files restored. Data was restored from saved library Q400CUM503 to library Q400CUM507 at 19/01/09 23:46:33. Objects were restored from save file Q400CUM503 in library INTERNET.										
*NONE	Request		19/01/09	23:47:03.079928	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . : -CHGDTAARA DTAARA{Q400cum507/QVERSION} VALUE{'Ver 5 Rel 1 Mod 7'}										
*NONE	Request		19/01/09	23:47:26.544824	QPTCHECK		*N	QUICMD	QSYS	0461
Message . . . . : -RSTOBJ OBJ{SAVSPLF} SAVLIB{Q400} DEV{*SAVF} SAVF{INTERNET/Q400PTF505} RSTLIB{Q400CUM507}										
CPC3703	Completion	00	19/01/09	23:47:45.518288	QSRROCPR	QSYS	0621	QMNRWKXX	QSYS	028E
Message . . . . : 1 objects restored from Q400 to Q400CUM507. Cause . . . . . : -- 1 objects were restored. -- 0 spooled files restored. Data was restored from saved library Q400 to library Q400CUM507 at 19/01/09 23:47:44. Objects were restored from save file Q400PTF505 in library INTERNET.										
*NONE	Request		19/01/09	23:49:06.042904	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . : -wrkobj *all/q400u14										
*NONE	Request		19/01/09	23:50:52.151608	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . : -crtsafv internet/q400ptf507#										
CPD0074	Diagnostic	30	19/01/09	23:50:52.163752	QCFLD	QSYS	0F94	QMNRWKXX	QSYS	028E
Message . . . . : Value 'Q400PTF507' for FILE exceeds 10 characters. Cause . . . . . : Value 'Q400PTF507' for parameter FILE exceeds 10 characters in length. If the parameter value specified is not a special value, it must conform to the length specified in the command definition. Recovery . . . . : Change the length of the parameter value or change the parameter value to one of the special values defined for the parameter.										
CPF0001	Diagnostic	30	19/01/09	23:50:52.164352	QCADRV2	QSYS	04D0	QMNRWKXX	QSYS	028E
Message . . . . : Error found on CRTSAVF command. Cause . . . . . : The system detected errors in the command. Recovery . . . : See the previously listed messages in the job log. Correct the errors and then try the command again. *N instead of a command name means that the name had not been determined before the error was found.										
*NONE	Request		19/01/09	23:50:55.275512	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . : -crtsafv internet/q400ptf507										
CPC7301	Completion	00	19/01/09	23:50:55.500752	QDDCDF	QSYS	024C	QMNRWKXX	QSYS	028E
Message . . . . : File Q400PTF507 created in library INTERNET.										
*NONE	Request		19/01/09	23:51:23.607672	QUICMD	QSYS	0461	QUICMD	QSYS	0461
Message . . . . : -wrkdtara *all/qversiob										
*NONE	Request		19/01/09	23:51:28.605072	QUICMD	QSYS	0461	QUICMD	QSYS	0461







Job name . . . . . : QPADEV0002 User . . . . . : QSECOFR Number . . . . . . . . . : 014060  
 Job description . . . . . : QDFTJOBD Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPC3722	Completion	00	20/01/09	00:01:05.960184	QSRSLCP2	QSYS	0242	QMNRWKXX	QSYS	028E
					SAVF{INTERNET/Q400CUM507}					
					Message . . . . : 53 objects saved from library Q400CUM507.					
					Cause . . . . : -- 53 objects were saved. -- 0 spooled files were saved.					
					Data was saved from library Q400CUM507 to save file Q400CUM507 in INTERNET					
					at 20/01/09 00:01:03. If UPDHST{*YES} was specified, the save/restore					
					history information was updated for each saved object.					
*NONE	Request			20/01/09 00:01:28.899512	QUICMD	QSYS	0461	QUICMD	QSYS	0461
*NONE	Request			20/01/09 00:03:37.430784	QUICMD	QSYS	0461	QUICMD	QSYS	0461
CPF0901	Information	00	20/01/09	00:03:46.215352	QWCCSDSC	QSYS	003E	QMNRWKXX	QSYS	028E
					Message . . . . : PWRDWNSYS command issued by user QSECOFR and is being					
					processed.					
					Cause . . . . : Because the Power Down System {PWRDWNSYS} command was					
					issued, all jobs will be ended, and the machine will be powered off.					
CPC1207	Completion	50	20/01/09	00:03:54.077264	QWTMMTRS	QSYS	0221	*EXT		*N
					From user . . . . . : QSYS					
					Message . . . . : Subsystem ending immediately.					
CPF1164	Completion	00	20/01/09	00:04:22.215480	QWTMCEOJ	QSYS	00D7	*EXT		*N
					Message . . . . : Job 014060/QSECOFR/QPADEV0002 ended on 20/01/09 at					
					00:04:22; 23 seconds used; end code 50 .					
					Cause . . . . : Job 014060/QSECOFR/QPADEV0002 completed on 20/01/09 at					
					00:04:22 after it used 23 seconds processing unit time. The job had ending					
					code 50. The job ended after 1 routing steps with a secondary ending code of					
					0. The job ending codes and their meanings are as follows: 0 - The job					
					completed normally. 10 - The job completed normally during controlled ending					
					or controlled subsystem ending. 20 - The job exceeded end severity {ENDSEV					
					job attribute}. 30 - The job ended abnormally. 40 - The job ended before					
					becoming active. 50 - The job ended while the job was active. 60 - The					
					subsystem ended abnormally while the job was active. 70 - The system ended					
					abnormally while the job was active. 80 - The job ended {ENDJOBABN command}.					
					90 - The job was forced to end after the time limit ended {ENDJOBABN					
					command}. Recovery . . . . : For more information, see the Work Management					
					topic in the Information Center,					
					<a href="http://www.ibm.com/eserver/iseries/infocenter">http://www.ibm.com/eserver/iseries/infocenter</a> .					